

AERODYNAMICS

LED DAYTIME RUNNING LIGHT SKIRTS

QUADRO EXHAUST SYSTEM

ALUMINIUM RIM PROGRAMME

POWER-CONVERTER

SUSPENSION TECHNOLOGY

Choose one of the categories in the navigation on the left. Find your content with just one click.

Design programme C-Class W204

based on Mercedes-Benz C-Class W204

Design programme C-Class W204



Aerodynamics

1 Front spoiler lip for AMG styling

The PIECHA front spoiler lip smoothly underlines the sporty design of the C-Class AMG styling. The front spoiler lip is mounted onto the serial fenders by simple adhesion. Including adhesive set, mounting instructions and approval certificate.

- Primed
- Carbon black coated
- Carbon silver coated

204-1-100
204-1-???

2 Front spoiler lip for AMG C63

The design perfectly blends into the lines and incorporates significantly better dynamics. The front spoiler lip is mounted onto the serial fenders by simple adhesion. Including adhesive set, mounting instructions and approval certificate.

- Primed
- Carbon black coated
- Carbon silver coated

204-1-???

3 2-lamellas grill (not for AMG C63)

Black high gloss with chrome lamellas

204-1-???

4 Headlight mask set for all models

Primed

204-4-110

5 Rear diffuser insert 4-pipe for AMG-Styling and C63

The RS rear diffuser insert for the AMG styling is designed specifically for the 4-pipe exhaust system and will replace the original insert.

- For T-model
- For T-model with Parktronic
- For sedan

204-1-411
W204-411-PDC
W204-410

6 Diffusor board for AMG rear diffuser

The diffusor board is mounted underneath the diffuser as an additional under floor wing and provides significantly downforce. Suitable for T-models and sedans.

W204-420

7 Rear spoiler lip for sedan (all models)

W204-255



* Assembly instructions, Technical Control Board certificates respectively EC approval and installation material are included.

Design programme C-Class W204

Accessoires

- | | |
|--|-----------|
| 1 LED side skirt illumination (all models)
4 LEDs per side including vehicle-specific cable set | 204-?-??? |
|--|-----------|

LED daytime running light skirts

The PIECHA LED daytime running light inserts with their insert enclosures are simply exchanged against the serial grid inserts including the fog lights. In order to make the installation as easy as possible, the control modules and cable sets are shipped preconfigured. The LED daytime running lights are alight 100% (very bright) as soon as the ignition is on. When the dimmed headlight is switched on, also by automatic control, the LED daytime running lights are dimmed to 20% and act as position lights. The steered headlight function for the fog lights remains. The daytime running lights have an E approval and do not need to be certified by the Technical Control Board.

The advantages:

- Prime supplier quality
- No Technical Control Board certificate needed
- Simple installation
- Ready-to-install kit, already coated inserts with fog lights

The LED light sticks available in black or chrome.

- | | |
|---|-----------|
| 2 Daytime running light inserts for Serial fenders, LED light sticks in black | 204-5-100 |
| 3 Daytime running light inserts for AMG Styling, LED light sticks in black | 204-5-110 |
| 4 Daytime running light inserts for AMG C63, LED light sticks in black | 204-5-120 |

* Assembly instructions, Technical Control Board certificates respectively EC approval and installation material are included.

Design programme C-Class W204

4-pipe QUADRO stainless steel exhaust mufflers



- 1 **4-pipe QUADRO rework** 230-2-300
4-fold pipes (right and left) to be welded on the serial silencers.
Sporty and elegant design made of stainless steel with two oval chrome end pipes.
- 2 **4-pipe QUADRO stainless steel silencers**
Complete stainless steel with high gloss polished double-oval end pipes, with EC certificate
For 4-cylinder gas and diesel 204-2-300
For 6-cylinder gas and diesel 204-2-301



* Assembly instructions, Technical Control Board certificates respectively EC approval and installation material are included.

Design programme C-Class W204



Aluminium rim programme

1 PIECHA MP1 MONOBLOCK

High-tech rim in brand new interpreted convex turbine-design. Developed for maximum wheel size. Delicate and hidden wheel connection zone. No body work required. Satin gunmetal with polished racks.
Front axle 8.5 x 19 offset 40 mp1-851940-3 Rear axle 9.5 x 19 offset 45 mp1-951945-3
Suitable tires: front axle 225/35 R19 rear axle 255/30 R19 or front axle 235/35 R19 rear axle 275/30 R19

2 PIECHA dp1 CC

3-part high-end rim with extremely stable 2.5 mm Radinox stainless steel outer well, high gloss polished, rim centre in high gloss silver with central lid
Front axle 8.5 x 19 offset 26 dp1-??????-? Rear axle 9.5 x 19 offset 45 dp1-??????-?
Suitable tires: front axle 225/35 R19 rear axle 255/30 R19 or front axle 235/35 R19 rear axle 275/30 R19

3 PIECHA dp2 Phantom

Single-part rims in multipart appearance with stainless steel panel and deep well, silver or silk mat black.
Front axle 8.5 x 19 offset 38 in silver dp2-851938-1 Rear axle 9.5 x 19 offset 45 in silver dp2-951945-1
Front axle 8.5 x 19 offset 38 in black dp2-851938-2 Rear axle 9.5 x 19 offset 45 in black dp2-951945-2
Suitable tires: front axle 225/35 R19 rear axle 255/30 R19 or front axle 235/35 R19 rear axle HA 275/30 R19



* Assembly instructions, Technical Control Board certificates respectively EC approval and installation material are included.

Design programme C-Class W204

Power-Converter




1 Power Converter CS-Race-Control *

000-7-700

- Improved performance potential and draft from low rev within the whole speed range.
- Very fast response behaviour, significantly better acceleration and more agile driving behaviour.
- Simple installation through plug and play connection.

Individual setting of the response behaviour and additionally, via a separate switch, changeable from the serial mode into the city mode or sport mode. The response behaviour can be adjusted individually by an integrated potentiometer.

Also suitable for C-Class W204, E-Class W212 and W207, GLK, VITO, VIANO and new Smart



— Acceleration without Power-Converter

— Acceleration with Power-Converter in city-mode

— Acceleration with Power-Converter in sport-mode

* Assembly instructions, Technical Control Board certificates respectively EC approval and installation material are included.

back

MENU

お問い合わせ

next

Design programme C-Class W204

Suspension technology



1 Lowerings sedan with ABE

Front axle up to 1020 kg	2WD	30 mm	W204-100
Front axle over 1021 kg	2WD	30 mm	W204-101
4-matic	4WD	30 mm	W204-102
Deep version	2WD	45 mm	W204-103

Lowering AMG C63 Technical Control Board certificate Sedan / T-model

20 mm W204-108

Lowerings T-model (estate) with ABE

Front axle up to 1020 kg	2WD	20 mm	W204-104
Front axle over 1021 kg	2WD	20 mm	W204-105
4-matic	4-WD	30 mm	W204-106
Deep version	2WD	40 mm	W204-107

Coilover suspension (not for C63) Technical Control Board certificate

Sedan	2WD	30-60 mm	204-3-809
T-modell	2WD	30-60 mm	204-3-810

* Assembly instructions, Technical Control Board certificates respectively EC approval and installation material are included.



有限会社ユーロ
〒134-0084
東京都江戸川区東葛西5-6-3
TEL.03-5674-7742

www.euro.ne.jp

PIECHA Design on YouTube:



MENU